- **Asphalt (Cold and Hot)**
- Sand
- **Gravel**
- **Concrete**
- **Stones**

















- Asphalt (Cold and Hot)
- Sand
- Gravel
- Concrete
- Stones

Patching roads | Cycle
Tracks | Footpaths |
Pavements | Parking lots |
Driveways | Garden and
park paths | Utility trenches
| Sand and Concrete

All the functions are hydraulic (auger, screed lifting and lowering, telescopic screed, hopper's opening and closing).

Because of the retractable hydraulic screed, the machine is very versatile and is able to avoid obstacles that may be in the way.

Can be controlled from the skid loader and/or with a wireless remote control.

The wireless remote control allows the operator to have a complete view of the work in front of the machine.













- Asphalt (Cold and Hot)
- Sand
- Gravel
- Concrete
- Stones



Specs	Units	
Paving width:	m	Minimum 0.20 Maximum 1.9
Paving height:	cm	-5 to 25
Hopper capacity:	m3	1.4
Oil flow:	lt/min	60
Paving speed:	m/min	25
Hydraulic pressure:	bar	180
Weight:	kg	711
Vibration (optional):	Hz	60
Paving direction:		Forward
Paving material:		Cold or Hot (heated by LPG)
Hot paving temperature:	Celsius	140
Feeding:		Front and Lateral
Commands:		From the loader box or by radio control remote
Functions:		100% Hydraulic
Auger's diameter:	mm	200













Specifications




ISO24410 Adapter Plate SSL Ask for Backhoe or Tractor Options





Control PanelBox and Remote Control

SKID Paver Layout



Dimensions in millimeters and inches











Features



Feeding Auger
Wear Resistant Steel



Screed Heat System



Self-Levelling System



Wide Hopper Opening











SKID PaverFeatures

100% Open 2 Hoppers



100% Open 1 Hopper



Closed Ready for transport













BEFORE MAZIO, WERE JUST MACHINES. #purpletime #purpleattachments #attachmentsexperts













TOGETHER WE WILL CONTINUE BUILDING GREAT PROJECTS.

This catalogue is used to show our products and attachments

The info contained doesn't imply any certificated characteristic or indicates the suitability for certain purposes.

Technical changes are reserved without previous announcement

We decline any responsibility emerged from the illustration or information of the catalogue and all of our agents.

Mazio Attachments LLC

7548 South US HWAY 1 #395, Port Saint Lucie, FL. 34952, USA Phone/ +1 (561) 766 0899 Email/ sales@mazio.us Web/ www.mazio.us